



Australian Government

**Department of Health and Ageing
Office of the Gene Technology Regulator**

Application Checklist for a Physical Containment Facility Level 1 Large Grazing Animal Facility

Checklist against the requirements for certification under the Gene Technology Regulator's
Guidelines for Certification of Physical Containment Facilities PC1 Large Grazing Animal Facility Version 2.1 – 30 March 2007

Please Note

- The use of this checklist proforma is **not** mandatory in order to conduct an inspection of certified facilities for compliance with the requirements of certification outlined in the *Guidelines for Certification of Physical Containment Facilities PC1 Large Grazing Animal Facility Version 2.1 – 30 March 2007*. Rather, it is provided to assist those who find it convenient to use for the above mentioned inspection.
- This proforma is based on the requirements of certification as detailed in the Gene Technology Regulator's *Guidelines for Certification of Physical Containment Facilities PC1 Large Grazing Animal Facility Version 2.1 – 30 March 2007*. **Applicants must refer to these guidelines for full details of the requirements before confirming compliance on the application form.**
- If in answer to any of the questions below it is indicated that the facility does not meet the requirements of certification as listed in the Guidelines or may not be able to meet the expected conditions of certification as listed in the Guidelines, then this information should be reported under section 3 of the *Application for the Certification of a Physical Containment Facility* along with any suggested strategies to enable certification of the facility.
- **Please do not send this report to the OGTR unless specifically requested**

Organisation name:	
Facility name:	
Inspected by:	
	Date:

Facility and fitting requirements				
		Yes	No	Notes/Details
Facility construction	Constructed with at least two physical barriers that prevent the escape of the species being contained. Barriers also prevent entry of animals of the same species			
	If barriers are fencing alone – perimeter fencing is comprised of at least two complete rows of fencing			
	If first barrier is a building – is fully enclosed and surrounded by a second physical barrier			
Gates and doors	Designed to prevent the escape of the species being contained. Also able to prevent entry of animals of same species			
	Gates and doors are lockable			
Signage	Labelled with a sign on outermost barrier displaying a unique identifier			

Capacity to comply with certification requirements

		Yes	No	Notes/Details
Capacity to comply	Demonstrated capacity to comply with the conditions of certification that will generally be applied to a certified PC1 Large Grazing Animal Facility (these conditions are set out under <i>Guidelines for Certification of Physical Containment Facilities PC1 Large Grazing Animal Facility Version 2.1 – 30 March 2007</i>)			